

Classification Report



BASEC Client **xxx**

Report No. LCPR1413-4 Classification Issue 3
Nuner of pages in this Report: 6

Issue Date **26 July 2017**

Items Tested 1 sample of coaxial cable

Specification(s) BS EN 13501-6:2014

Authorised by: I McGuinness

A handwritten signature in black ink, appearing to read "I McGuinness", is placed next to the name in the signature line.

Laboratory Manager

Issue Date: 26 July 2017

This classification Report does not represent type approval or certification of the product. This Classification Report shall not be reproduced except in full, without written approval of the laboratory.

BASEC Report No: LCPR1413-4 Classification Issue 3

British Approvals Service for Cables
Presley House Presley Way Crownhill
Milton Keynes
MK8 0ES UK
T: 01908 267300
F: 01908 267255
E: mail@basec.org.uk
W: www.basec.org.uk

Notified Body No. 2661



5950



BASEC Reference: LF189.002 issue date 12/07/2016

Introduction

This classification report defines the classification assigned to the coaxial cable, in accordance with the procedures given in BS EN 13501-6:2014



CLASSIFICATION OF REACTION TO FIRE FOR ELECTRIC CABLES IN ACCORDANCE WITH BS EN 13501-6:2014

Sponsor:	xxx
Prepared for:	xxx., Linglong Industry Zone, Lin'An City, Zhejiang Province, China
Prepared by:	British Approvals services for Cables, Presley House, Presley Way, Crownhill Milton Keynes, MK8 0ES, United Kingdom
Notified Body No.	2661
Product Name:	23VATC - PVC BC
Classification Report No.	LCPR1413-4 Classification
Issue number:	3
Date of Issue:	26 July 2017

This classification report consists of 6 pages and may only be used or reproduced in its entirety.

BASEC Report No: LCPR1413-4 Classification Issue 3

BASEC Reference: LF189.002 issue date 12/07/2016	Report Issue Date: 26/07/17	Page 2 of 6
---	-----------------------------	-------------

Details of classified product

General

This classification report defines the classification for the coaxial cable, in accordance with the procedures given in BS EN 13501-6:2014.

Product description

The coaxial cable family, 23VATC - PVC BC, is as described in Sample details below.

Traceability

The test samples submitted by the manufacture and received on 24 May 2017.

Sample details

Parameter		Details	
Test sponsor		xxx	
Contact address		Linglong Industry Zone, Lin'An City, Zhejiang Province, China	
Cables submitte for test			
23VATC - PVC BC		0.8±0.02mm Bare Copper Conductor, Foam PE Insulation, Al Foil, Braid, PVC Jacket OD = 5.0mm	
BASEC Reference: LF189.002 issue date 12/07/2016		Report Issue Date: 26/07/17	Page 3 of 6

Reports & results in support of this classification

Reports

Name of Laboratory	Name of test sponsor	Test reports Nos.	Test method/field of application rules
UL-CCIC Company Limited	xxx Co Ltd	LCPR1413	BS EN 60332-1-2:2014 + A11:2016

Results

Cable	Parameter	No. tests runs	Results	
			Continuous parameter	Compliance with parameters
23VATC - PVC BC	H	1	110mm	≤425mm = E _{ca} Compliant
BASEC Reference: LF189.002 issue date 12/07/2016	Report Issue Date: 26/07/17		Page 4 of 6	

Classification and field of application

BASEC Report No: LCPR1413-4 Classification Issue 3

Reference of classification

This classification has been carried out in accordance with BS EN 13501-6:2014 **Classification**

The coaxial cable in relation to fire behaviour is classified:

E_{ca}

The format of the reaction to fire classification for electric cables is:

Fire Behaviour		Smoke Production			Flaming Droplets			Acidity	
E_{ca}	-	-	-	,	-	-	,	-	-

Reaction to fire classification: E_{ca}

The classification assigned to the products in this report is appropriate to a declaration of conformity by the manufacturer within the context of system 3 attestation of conformity and CE marking under the Construction Products Regulation.

The test laboratory has, therefore, played no part in sampling the product for the test, although it holds appropriate references, supplied by the manufacturer, to provide for traceability of samples tested.

BASEC Reference: LF189.002
issue date 12/07/2016

Report Issue Date: 26/07/17

Page 5 of 6

Field of application

This classification is valid for the coaxial cable described in 'Sample details' and listed below

BASEC Report No: LCPR1413-4 Classification Issue 3

Brand Name	Cable Identification	Conductor Size	Reaction to Fire Classification
Zircon CU122AL LSZH	23VATC - PVC BC	0.502mm ²	E _{ca}

This classification is valid for all end-use applications

Limitations

This classification will be valid whilst;

- The test methods remain unchanged,
- The product standard or technical approval remains unchanged,
- Constructional or material modifications do not exceed limits of the field of application.

The manufacturer has made a declaration, which is held on file, which the product placed in the marketplace, named in product description section of this report and produced at the manufacturing plant listed therein, is exactly the same as the product that was tested.

This classification document does not represent type approval or certification of the product.

-- END OFF REPORT ---

BASEC Reference: LF189.002 issue date 12/07/2016	Report Issue Date: 26/07/17	Page 6 of 6
---	-----------------------------	-------------